016PUAS0024 - PURE AIR SPRAY

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 1 / 13

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

. Product identifier				
Code:	016PUAS00	24		
Product name	PURE AIR S	PRAY		
UFI :	PXW0-H012	-Q00W-K9MS		
. Relevant identified uses of the substance or n	nixture and use	es advised against		
Intended use	Deodorant /	absorbed		
Identified Uses	Industrial	Pro	fessional	Consumer
Deodorant / absorbed	-			\checkmark
Uses Advised Against				
all other uses not recommended				
3. Details of the supplier of the safety data sheet				
Name	ALLEGRINI	SPA		
Full address		D'Acquisto, 2		
	24050	Grassobbio	(PC	N N N N N N N N N N N N N N N N N N N
District and Country	24030		(BG)
	T .1	Italy		
	Tel.	+39 035 4242111		
	Fax	+39 035 526588		
e-mail address of the competent person				
responsible for the Safety Data Sheet	msds@alleg	jrini.com		
I. Emergency telephone number				
For urgent inquiries refer to	Allogrini Sn	A . Tol +20 025 42	42111 Mon - Fri 8.00 -	17 00 CMT +1
Tor argent inquires reler to	Allegrini Sp	Tel. 133 033 424	-2111 10011 - 111 0.00 -	
CTION 2. Hazards identification				
1. Classification of the substance or mixture				
The product is classified as hazardous pursuant to amendments and supplements). The product thus 2020/878.				
Any additional information concerning the risks for	health and/or th	ne environment are (niven in sections 11 and	1 12 of this sheet
Hazard classification and indication:			Extremely flammable	e aerosol.
		H222		
Hazard classification and indication: Aerosol, category 1		H222 H229	Pressurised contained	
Aerosol, category 1		H229		er: may burst if heated.
Aerosol, category 1 Eye irritation, category 2		H229 H319	Causes serious eye	er: may burst if heated. irritation.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure,		H229		er: may burst if heated. irritation.
Aerosol, category 1 Eye irritation, category 2		H229 H319	Causes serious eye	er: may burst if heated. irritation.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure, category 3		H229 H319	Causes serious eye	er: may burst if heated. irritation.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure, category 3	2008 (CLP) and	H229 H319 H336	Causes serious eye May cause drowsine	er: may burst if heated. irritation. ess or dizziness.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure, category 3 2. Label elements	2008 (CLP) and	H229 H319 H336	Causes serious eye May cause drowsine	er: may burst if heated. irritation. ess or dizziness.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure, category 3 2. Label elements Hazard labelling pursuant to EC Regulation 1272/2	2008 (CLP) and	H229 H319 H336	Causes serious eye May cause drowsine	er: may burst if heated. irritation. ess or dizziness.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure, category 3 2. Label elements Hazard labelling pursuant to EC Regulation 1272/2	2008 (CLP) and	H229 H319 H336	Causes serious eye May cause drowsine	er: may burst if heated. irritation. ess or dizziness.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure, category 3 2. Label elements Hazard labelling pursuant to EC Regulation 1272/2	2008 (CLP) and	H229 H319 H336	Causes serious eye May cause drowsine	er: may burst if heated. irritation. ess or dizziness.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure, category 3 2. Label elements Hazard labelling pursuant to EC Regulation 1272/2	2008 (CLP) and	H229 H319 H336	Causes serious eye May cause drowsine	er: may burst if heated. irritation. ess or dizziness.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure, category 3 2. Label elements Hazard labelling pursuant to EC Regulation 1272/2	2008 (CLP) and	H229 H319 H336	Causes serious eye May cause drowsine	er: may burst if heated. irritation. ess or dizziness.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure, category 3 2. Label elements Hazard labelling pursuant to EC Regulation 1272/2	2008 (CLP) and	H229 H319 H336	Causes serious eye May cause drowsine	er: may burst if heated. irritation. ess or dizziness.
Aerosol, category 1 Eye irritation, category 2 Specific target organ toxicity - single exposure, category 3 2. Label elements Hazard labelling pursuant to EC Regulation 1272/2	2008 (CLP) and	H229 H319 H336	Causes serious eye May cause drowsine	er: may burst if heated. irritation. ess or dizziness.

Signal words:

Danger

016PUAS0024 - PURE AIR SPRAY

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 2 / 13

SECTION 2. Hazards identification ... / >>

Hazard statements: H222 H229 H319 H336 EUH208	Extremely flammable aerosol. Pressurised container: may burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Contains: 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one May produce an allergic reaction.
Precautionary statements:	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 ° C / 122 ° F.
P501	Dispose of the product / container in accordance with local regulations.
P102	Keep out of reach of children.
P211	Do not spray on an open flame or other ignition source.
P271	Use only outdoors or in a well-ventilated area.
Contains:	Isopropanol

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\ge 0.1\%$.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
Propane INDEX 601-003-00-5 EC 200-827-9 CAS 74-98-6 REACH Reg. 01-2119486944-2 Ethanol 6	47,5 ≤ x < 50 21	Flam. Gas 1A H220, Press. Gas H280
INDEX 603-002-00-5 EC 200-578-6 CAS 64-17-5 REACH Reg. 01-2119457610-4 Butane	18≤x< 19,5 43	Flam. Liq. 2 H225, Eye Irrit. 2 H319 Eye Irrit. 2 H319: ≥ 50%
INDEX 601-004-00-0 EC 203-448-7 CAS 106-97-8 REACH Reg. 01-2119474691-3 Isopropanol 1000000000000000000000000000000000000	13,5≤x< 15 32	Flam. Gas 1A H220, Press. Gas H280
INDEX 603-117-00-0 EC 200-661-7 CAS 67-63-0 REACH Reg. 01-2119457558-2 Isobutane	10 ≤ x < 11,5 25	Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336
INDEX 601-004-00-0 EC 200-857-2 CAS 75-28-5 REACH Reg. 01-2119485395-2	7≤x< 8 27	Flam. Gas 1A H220, Press. Gas H280

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 3 / 13

SECTION 3. Composition/information on ingredients/>>

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, Aquatic Acute 1 INDFX $0,1 \le x < 0,15$ H400 M=10, Aquatic Chronic 1 H410 M=1 FC 270-325-2 LD50 Oral: 795 mg/kg 68424-85-1 CAS Alcohols C12-14, ethoxylated Eye Dam. 1 H318, Aquatic Acute 1 H400 M=1, Aquatic Chronic 3 H412 INDEX $0.1 \le x < 0.15$ EC CAS 68439-50-9 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one INDEX $0,05 \le x \le 0,1$ Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Chronic 1 H410 M=1 FC 915-730-3 CAS 68155-66-8 REACH Reg. 01-2119489989-04

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants. Percentage of propellants: 70,00 %

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 4 / 13

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

6.2. Environmental precautions

Do not disperse in the environment.

6.3. Methods and material for containment and cleaning up

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

7.2. Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17
DEU	Deutschland	Януари 2020г.) Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe. Mitteilung 56
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea si completarea hotărârii guvernului nr. 1.093/2006
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)

016PUAS0024 - PURE AIR SPRAY

SECTION 8. Exposure controls/personal protection/>>

TLV-ACGIH ACGIH 2021

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

	- (.,_,_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
Predicted no-effect cor	ncentration	- PNEC						
Normal value in fresh	water	0,0044	mg/l					
Normal value in marin	ne water					0,00044	mg/l	
Normal value for fres	h water sed	iment				3,73	mg/kg	
Normal value for mar	ine water se	ediment				0,75	mg/kg	
Normal value of STP	microorgan	isms				10	mg/l	
Normal value for the	food chain (secondary poisor	ning)			26,7	mg/kg	
Normal value for the	terrestrial co	ompartment				2,7	mg/kg	
Health - Derived no-eff	ect level - D	DNEL / DMEL						
	Effects o	n consumers			Effects on v	vorkers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral				3				
				mg/kg bw/d				
Inhalation				9				30
				mg/m3				mg/m3
Skin				17,2				28,7
				mg/kg bw/d				mg/kg

				Et	hanol				
Threshold Limit V									
Туре	Country	TWA/8h		STEL/15	nin	Remarks / Obs	ervations		
		mg/m3	ppm	mg/m3	ppm				
TLV	BGR	1000							
AGW	DEU	380	200	1520	800				
MAK	DEU	380	200	1520	800				
VLA	ESP			1910	1000				
VLEP	FRA	1900	1000	9500	5000				
AK	HUN	1900		3800					
GVI/KGVI	HRV	1900	1000						
NDS/NDSCh	POL	1900							
TLV	ROU	1900	1000	9500	5000				
NPEL	SVK	960	500	1920	1000				
MV	SVN	960	500	1920	1000				
WEL	GBR	1920	1000						
TLV-ACGIH				1884	1000				
Predicted no-effe	ct concentra	tion - PNE	C						
Normal value in	fresh water						0,96	mg/l	
Normal value in	marine wate	r					0,79	mg/l	
Normal value fo	r fresh water	sediment					3,6	mg/kg/d	
Normal value fo	r marine wat	er sediment					2,9	mg/kg/d	
Normal value fo	r the terrestri	ial compartr	nent				0,63	mg/kg/d	
Health - Derived n	o-effect leve	el - DNEL /	DMEL						
	Effec	cts on consi	imers			Effects on worke	rs		
Route of exposi	ure Acut	e Acı	ute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	sys	temic	local	systemic	local	systemic	local	systemic
Oral					87				
					mg/kg bw/d				
Inhalation	950				114	1900			950
	mg/k	g			mg/m3	mg/m3			mg/m3
Skin		-			206	-			-
					mg/kg bw/d				

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 5 / 13

bw/d

SECTION 8. Exposure controls/personal protection/>>

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 6 / 13

				isop	propanoi				
Threshold Limit V	/alue								
Туре	Country	TWA/8h		STEL/15	min	Remarks / C	bservations		
		mg/m3	ppm	mg/m3	ppm				
TLV	BGR	980		1225					
AGW	DEU	500	200	1000	400				
MAK	DEU	500	200	1000	400				
VLA	ESP	500	200	1000	400				
VLEP	FRA			980	400				
AK	HUN	500		1000		SKIN			
GVI/KGVI	HRV	999	400	1250	500				
NDS/NDSCh	POL	900		1200		SKIN			
TLV	ROU	200	81	500	203				
NPEL	SVK	500	200	1000	400				
MV	SVN	500	200	2000	800				
WEL	GBR	999	400	1250	500				
TLV-ACGIH		492	200	983	400				
Predicted no-effe	ct concentra	ation - PNE	С						
Normal value in	n fresh water						140,9	mg/l	
Normal value ir	n marine wate	er					140,9	mg/l	
Normal value for	or fresh wate	r sediment					552	mg/kg	
Normal value for	or marine wat	ter sedimen	t				552	mg/kg	
Normal value for	or the food ch	nain (second	lary poisoni	ng)			160	mg/kg	
Normal value for	or the terrestr	ial comparti	ment				28	mg/kg	
Health - Derived r	no-effect lev	el - DNEL /	DMEL						
	Effe	cts on cons	umers			Effects on wor	kers		
Route of expos	ure Acu	te Ac	ute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	loca	l sys	stemic	local	systemic	local	systemic	local	systemic
Oral					26				
					mg/kg bw/d				
Inhalation					89				500
					mg/m3				mg/m3
Skin					319				888

mg/kg bw/d

Isopropanol

mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

None required.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type A filter combined with a type P filter should be worn (see standard EN 14387).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

ΕN

<

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 7 / 13

Information

9.1. Information on basic physical and chemical properties

Properties Appearance Colour
Odour Malting paint / fragming paint
Melting point / freezing point
Initial boiling point
Flammability
Lower explosive limit
Upper explosive limit
Flash point
Auto-ignition temperature
Decomposition temperature
рН
Kinematic viscosity
Solubility
Partition coefficient: n-octanol/water
Vapour pressure
Density and/or relative density
Relative vapour density
Particle characteristics

Value aerosol transparent scented not available 80 °C Flammable not available not available 0 °C not available not available not available not available soluble in water not available not available 079 not available not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

Ethanol

Risk of explosion on contact with: alkaline metals,alkaline oxides,calcium hypochlorite,sulphur monofluoride,acetic anhydride,acids,concentrated hydrogen peroxide,perchlorates,perchloric acid,perchloronitrile,mercury nitrate,nitric acid,silver,silver nitrate,ammonia,silver oxide,ammonia,strong oxidising agents,nitrogen dioxide.May react dangerously with: bromoacetylene,chlorine acetylene,bromine trifluoride,chromium trioxide,chromyl chloride,fluorine,potassium tert-butoxide,lithium hydride,phosphorus trioxide,black platinum,zirconium (IV) chloride,zirconium (IV) iodide.Forms explosive mixtures with: air.

10.4. Conditions to avoid

Avoid overheating.

Ethanol

Avoid exposure to: sources of heat, naked flames.

10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

10.6. Hazardous decomposition products

Information not available

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 8 / 13

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other i	nformation
Information not available	
Information on likely routes of exposure	
Information not available	
Delayed and immediate effects as well as chronic effects fro	om short and long-term exposure
Information not available	
Interactive effects	
Information not available	
ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:	Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-n LD50 (Dermal): LD50 (Oral):	aphthyl)ethan-1-one 5000 mg/kg 5000 mg/kg
Alcohols C12-14, ethoxylated LD50 (Oral):	> 5000 mg/kg Rat
Quaternary ammonium compounds, benzyl-C12-16- LD50 (Dermal): LD50 (Oral):	-alkyldimethyl, chlorides > 5000 mg/kg 795 mg/kg Rat
Ethanol LD50 (Oral): LC50 (Inhalation vapours):	> 5000 mg/kg Rat 120 mg/l/4h Pimephales promelas
Isopropanol LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours):	12800 mg/kg Rat 4710 mg/kg Rat 72,6 mg/l/4h Rat
SKIN CORROSION / IRRITATION	
Does not meet the classification criteria for this hazard class	3
SERIOUS EYE DAMAGE / IRRITATION	
Causes serious eye irritation	

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction. Contains: 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

GERM CELL MUTAGENICITY

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 9 / 13

SECTION 11. Toxicological information/>>

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause drowsiness or dizziness

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Alcohols C12-14, ethoxylated

Rapidly degradable

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

EC0 microorganisms:> 100 mg / I	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-napht	hyl)ethan-1-one
LC50 - for Fish	1,3 mg/l/96h
EC50 - for Crustacea	1,38 mg/l/48h
EC50 - for Algae / Aquatic Plants	2,6 mg/l/72h
Chronic NOEC for Crustacea	0,028 mg/l
Alcohols C12-14, ethoxylated	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Algae / Aquatic Plants	> 0,1 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	> 0,1 mg/l
Quaternary ammonium compounds, benzyl-C12-16-alky	ldimethyl, chlorides
LC50 - for Fish	0,85 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	0,016 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0,02 mg/l/72h Selenastrum capricornutum
Ethanol	
LC50 - for Fish	> 13500 mg/l/96h Pimephales promelas
EC50 - for Crustacea	12340 mg/l/48h Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	3240 mg/l Skeletonema costatum
Isopropanol	
EC50 - for Crustacea	> 100 mg/l/48h Leuciscus idus melanotus
EC50 - for Algae / Aquatic Plants	> 1000 mg/l/72h Desmodesmus subcapitata
12.2. Persistence and degradability	
Alcohols C12-14, ethoxylated	

016PUAS0024 - PURE AIR SPRAY

SECTION 12. Ecological information ... / >>

Quaternary ammonium compounds, be	enzyl-C12-16-alkyldimethyl, chlorides
Rapidly degradable	>60 %

Ethanol Solubility in water Rapidly degradable

1000 - 10000 mg/l

Isopropanol Rapidly degradable

12.3. Bioaccumulative potential

Quaternary ammonium compounds, benzyl-C12 Partition coefficient: n-octanol/water	2-16-alkyldimethyl, chlorides 2,88
Ethanol Partition coefficient: n-octanol/water	-0,35
Isopropanol Partition coefficient: n-octanol/water	0,05

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: 1950

14.2. UN proper shipping name

ADR / RID:	AEROSOLS
IMDG:	AEROSOLS
IATA:	AEROSOLS, FLAMMABLE

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 10 / 13 ΕN

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 11 / 13

SECTION 14. Transport information ... / >>

14.3. Transport hazard class(es)

ADR / RID:	Class: 2	Label: 2.1
IMDG:	Class: 2	Label: 2.1
IATA:	Class: 2	Label: 2.1



14.4. Packing group

ADR / RID, IMDG, IATA:

14.5. Environmental hazards

ADR / RID:	NO
IMDG:	NO
IATA:	NO

14.6. Special precautions for user

ADR / RID:

IATA:

HIN - Kemler: --Special provision: -EMS: F-D, S-U Cargo: Pass.: Special provision: Limited Quantities: 1 L

Limited Quantities: 1 L Maximum quantity: 150 Kg Maximum quantity: 75 Kg A145, A167, A802 Tunnel restriction code: (D)

Packaging instructions: 203 Packaging instructions: 203

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso C	Category -	Directive	2012/18/EU:
----------	------------	-----------	-------------

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 Product Point 40 Contained substance 75 Point Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%. Substances subject to authorisation (Annex XIV REACH) None Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None Substances subject to the Rotterdam Convention: None Substances subject to the Stockholm Convention: None

P3a

ΕN

016PUAS0024 - PURE AIR SPRAY

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 12 / 13

SECTION 15. Regulatory information ... / >>

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Gas 1A Aerosol 1 Aerosol 3 Flam. Liq. 2 Press. Gas Acute Tox. 4 Skin Corr. 1B Eye Dam. 1 Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1B STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 3 H220 H222 H229 H225 H280 H302 H314 H318 H319 H315 H317 H336 H400 H410	 Flammable gas, category 1A Aerosol, category 1 Aerosol, category 3 Flammable liquid, category 2 Pressurised gas Acute toxicity, category 4 Skin corrosion, category 1B Serious eye damage, category 1 Eye irritation, category 2 Skin sensitization, category 1B Specific target organ toxicity - single exposure, category 3 Hazardous to the aquatic environment, acute toxicity, category 1 Hazardous to the aquatic environment, chronic toxicity, category 1 Hazardous to the aquatic environment, chronic toxicity, category 3 Extremely flammable gas. Extremely flammable gas. Extremely flammable aerosol. Pressurised container: may burst if heated. Highly flammable liquid and vapour. Contains gas under pressure; may explode if heated. Harmful if swallowed. Causes serious eye damage. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Causes serious eye irritation. Causes an allergic skin reaction. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
H410 H412	Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value

Revision nr.1 Dated 31/01/2023 First compilation Printed on 21/02/2023 Page n. 13 / 13

SECTION 16. Other information ... / >>

- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 08 / 09 / 11 / 12.